## Kinetic differences of legacy organochlorine pesticides and polychlorinated biphenyls in Vietnamese human breast milk

## Tue N.M., Sudaryanto A., Minh T.B., Nhat B.H., Isobe T., Takahashi S., Viet P.H., Tanabe S.

Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama 790-8577, Japan; Senior Research Fellow Center, Ehime University, Bunkyo-cho 2-5, Matsuyama 790-8577, Japan; Centre for Environmental Technology and Sustainable Development, Hanoi University of Science, 334 Nguyen Trai, Hanoi, Viet Nam

Abstract: The present study investigated the current contamination status and evaluated several kinetic-related features of organochlorine pesticides (OCPs) and PCBs in human breast milk collected from northern Vietnam. The variation in the levels of these contaminants was found to be strongly associated with total lactation time and dietary habits. OCPs exhibited the characteristics of steadily declining compounds: the overall levels of DDTs and HCHs in the population decreased with a half-time of only 5 years and it can be suggested that OCPs depurated relatively fast with breastfeeding (5% per month). PCBs were slower in both regards, with a temporal decrease half-time of 12 years and a suggested depuration rate via breastfeeding of 2.5% per month, indicating that the exposure level was still high relative to the human body burden. It was found that the PCB exposure levels of infant from breastfeeding exceeded the reference dose, and this situation may continue for the next two or three decades. Knowledge of these kinetic-related characteristics not only is useful for risk assessment and prediction of future trends of legacy contaminants but also may provide insight regarding similar kinetic processes of emerging persistent pollutants. ?? 2010 Elsevier Ltd. Author Keywords: Breast milk; Depuration; POPs; Temporal trend; Vietnam

Index Keywords: Breast milk; Depuration; POPs; Temporal trends; Viet Nam; Pesticides; Polychlorinated biphenyls; Risk assessment; organochlorine pesticide; polychlorinated biphenyl; bioaccumulation; breastfeeding; depuration; health risk; lactation; organic pollutant; organochlorine; PCB; pesticide; risk assessment; temporal analysis; article; body burden; breast feeding; breast milk; controlled study; exposure; health hazard; human; kinetics; lactation; pollutant; prediction; risk assessment; Viet Nam; Viet Nam

Year: 2010

Source title: Chemosphere

Volume: 81

Issue: 8

Page: 1006-1011 Link: Scorpus Link

Correspondence Address: Tanabe, S.; Center for Marine Environmental Studies, Ehime University, Bunkyo-

cho 2-5, Matsuyama 790-8577, Japan; email: shinsuke@agr.ehime-u.ac.jp

ISSN: 456535 CODEN: CMSHA DOI: 10.1016/j.chemosphere.2010.09.013 Language of Original Document: English Abbreviated Source Title: Chemosphere

Document Type: Article

Source: Scopus

Authors with affiliations:

- 1. Tue, N.M., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama 790-8577, Japan
- 2. Sudaryanto, A., Senior Research Fellow Center, Ehime University, Bunkyo-cho 2-5, Matsuyama 790-8577, Japan
- 3. Minh, T.B., Centre for Environmental Technology and Sustainable Development, Hanoi University of Science, 334 Nguyen Trai, Hanoi, Viet Nam
- 4. Nhat, B.H., Centre for Environmental Technology and Sustainable Development, Hanoi University of Science, 334 Nguyen Trai, Hanoi, Viet Nam
- 5. Isobe, T., Senior Research Fellow Center, Ehime University, Bunkyo-cho 2-5, Matsuyama 790-8577, Japan
- 6. Takahashi, S., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama 790-8577, Japan
- 7. Viet, P.H., Centre for Environmental Technology and Sustainable Development, Hanoi University of Science, 334 Nguyen Trai, Hanoi, Viet Nam
- 8. Tanabe, S., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama 790-8577, Japan References:
- 1. (2000), p. 765., http://www.atsdr.cdc.gov/toxprofiles/tp17.html, ATSDR. Toxicological Profile for Polychlorinated Biphenyls (PCBs). Agency for Toxic Substances and Disease Registry, US Department of Health Services, Atlanta, GA(2002), p. 403., http://www.atsdr.cdc.gov/toxprofiles/tp35.html, ATSDR. Toxicological Profile for DDT, DDE and DDD. Agency for Toxic Substances and Disease Registry, Department of Health Services, Atlanta, GA, USCarrizo, D., Grimalt, J.O., Ribas-Fito, N., Sunyer, J., Torrent, M., Influence of breastfeeding in the accumulation of polybromodiphenyl ethers during the first years of child growth (2007) Environ. Sci. Technol., 41, pp. 4907-4912
- 2. Dewailly, E., Ayotte, P., Bruneau, S., Gingras, S., Belles-Isles, M., Roy, R., Susceptibility to infections and immune status in Inuit infants exposed to organochlorines (2000) Environ. Health Perspect., 108, pp. 205-211
- 3. F?rst, P., Dioxins, polychlorinated biphenyls and other organohalogen compounds in human milk. Levels, correlations, trends and exposure through breastfeeding (2006) Mol. Nutr. Food Res., 50, pp. 922-933
- 4. Hooper, K., She, J., Sharp, M., Chow, J., Jewell, N., Gephart, R., Holden, A., Depuration of polybrominated diphenyl ether (PBDEs) and polychlorinated biphenyls (PCBs) in breast milk from Californian first-time mothers (primiparae) (2007) Environ. Health Perspect., 115, pp. 1271-1275
- 5. Jacobson, J.L., Jacobson, S.W., Humphrey, H.E., Effects of exposure to PCBs and related compounds on growth and activity in children (1990) Neurotoxicol. Teratol., 12, pp. 319-326
- Jaraczewska, K., Lulek, J., Covaci, A., Voorspoels, S., Kaluba-Skotarczak, A., Drews, K., Schepens, P., Distribution of
  polychlorinated biphenyls, organochlorine pesticides and polybrominated diphenyl ethers in human umbilical cord serum,
  maternal serum and milk from Wielkopolska region, Poland (2006) Sci. Total Environ., 372, pp. 20-31
- 7. Knobeloch, L., Turyk, M., Imm, P., Schrank, C., Anderson, H., Temporal changes in PCB and DDE levels among a cohort of frequent and infrequent consumers of Great Lakes sportfish (2009) Environ. Res., 109, pp. 66-72
- 8. Kunisue, T., Muraoka, M., Ohtake, M., Sudaryanto, A., Minh, N.H., Ueno, D., Higaki, Y., Tanabe, S., Contamination status of persistent organochlorines in human breast milk from Japan: recent levels and temporal trend (2006) Chemosphere, 64, pp. 1601-1608

- 9. Kunisue, T., Someya, M., Kayama, F., Jin, Y., Tanabe, S., Persistent organochlorines in human breast milk collected from primiparae and Dalian and Shenyang, China (2004) Environ. Pollut., 131, pp. 381-392
- 10. Lignell, S., Aune, M., Darnerud, P.O., Cnattingius, S., Glynn, A., Persistent organochlorine and organobromine compounds in mother's milk from Sweden 1996-2006: compound-specific temporal trends (2009) Environ. Res., 109, pp. 760-767
- 11. Minh, N.H., Someya, M., Minh, T.B., Kunisue, T., Iwata, H., Watanabe, M., Tanabe, S., Tuyen, B.C., Persistent organochlorine residues in human breast milk from Hanoi and Hochiminh city, Vietnam: contamination, accumulation kinetics and risk assessment for infants (2004) Environ. Pollut., 129, pp. 431-441
- 12. Minh, T.B., Minh, N.H., Iwata, H., Takahashi, S., Viet, P.H., Tuyen, B.C., Tanabe, S., Persistent organic pollutants in Vietnam: environmental contamination and human exposure (2008) Rev. Environ. Contam. Toxicol., 193, pp. 213-285
- 13. Nor??n, K., Meironyt??, D., Certain organochlorine and organobromine contaminants in Swedish human milk in perspective of 20-30 years (2000) Chemosphere, 40, pp. 1111-1123
- 14. Oostdam, J.V., Gilman, A., Dewailly, E., Usher, P., Wheatley, B., Kuhnlein, H., Human health implications of environmental contaminants in Arctic Canada: a review (1999) Sci. Total Environ., 230, pp. 1-82
- 15. Polder, A., Thomsen, C., Lindstr??m, G., L??ken, K.B., Skaare, J.U., Levels and temporal trends of chlorinated pesticides, polychlorinated biphenyls and brominated flame retardants in individual human breast milk samples from Northern and Southern Norway (2008) Chemosphere, 73, pp. 14-23
- 16. Schecter, A., P??pke, O., Kuang, C.T., Joseph, J., Harris, T.R., Dahlgren, J., Polybrominated diphenyl ether flame retardants in the US population: current levels, temporal trends, and comparison with dioxins, dibenzofurans, and polychlorinated biphenyls (2005) J. Occup. Environ. Med., 47, pp. 199-211
- 17. Schecter, A., Pavuk, M., P??pke, O., Ryan, J.J., Birnbaum, L., Rosen, R., Polybrominated diphenyl ethers (PBDEs) in US mothers' milk (2003) Environ. Health Perspect., 111, pp. 1723-1729
- 18. Schecter, A., Ryan, J.J., P??pke, O., Decrease in levels and body burden of dioxins, dibenzofurans, PCBS, DDE, and HCB in blood and milk in a mother nursing twins over a thirty-eight month period (1998) Chemosphere, 37, pp. 1807-1816
- 19. Shen, H., Main, K.M., Virtanen, H.E., Damggard, I.N., Haavisto, A.M., Kaleva, M., Boisen, K.A., Schramm, K.W., From mother to child: investigation of prenatal and postnatal exposure to persistent bioaccumulating toxicants using breast milk and placenta biomonitoring (2007) Chemosphere, 67, pp. S256-S262
- 20. Subramanian, A., Ohtake, M., Kunisue, T., Tanabe, S., High levels of organochlorines in mother's milk from Chennai (Madras) city, India (2007) Chemosphere, 68, pp. 928-939
- 21. Sudaryanto, A., Kunisue, T., Kajiwara, N., Iwata, H., Adibroto, T.A., Hartono, P., Tanabe, S., Specific accumulation of organochlorines in human breast milk from Indonesia: Levels, distribution, accumulation kinetics and infant health risk (2006) Environ. Pollut., 151, pp. 107-117
- 22. Trapp, S., Bomholtz, L.M., Legind, C.N., Coupled mother-child model for bioaccumulation of POPs in nursing infants (2008) Environ. Pollut., 156, pp. 90-98
- 23. Tue, N.M., Sudaryanto, A., Minh, T.B., Isobe, T., Takahashi, S., Viet, P.H., Tanabe, S., (2010), doi:10.1016/j.scitotenv.2010.01.012, Sci. Total EnvironVreugdenhil, H.J.I., Slijper, F.M.E., Mulder, P.G.H., Weisglas-Kuperus, N., Effects of perinatal exposure to PCBs and dioxins on play behavior in Dutch children at schoolage (2002) Environ. Health Perspect., 110, pp. A593-A598
- 24. Walkowiak, J., Wiener, J., Fastabend, A., Heinzow, B., Kramer, U., Schmidt, E., Steingruber, H., Winneke, G., Environmental exposure to polychlorinated biphenyls and quality of the home environment: effects on psychodevelopment in early chilhood (2001) Lancet, 358, pp. 1602-1607
- 25. (2005), WHO,. Fourth WHO-coordinated Survey of Human Milk for Persistent Organic Pollutants A Protocol for

Collection, Handling and Analysis of Samples at the Country Level

Download Full Text: 0088.pdf