

Mobilization of arsenic and iron from Red River floodplain sediments, Vietnam

Postma D., Jessen S., Hue N.T.M., Duc M.T., Koch C.B., Viet P.H.,
Nhan P.Q., Larsen F.

Dept. of Geochemistry, National Geological Survey of Denmark and Greenland, Øster Voldgade 10, DK-1350 Copenhagen, Denmark; Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, 334-Nguyen Trai, Thanhxuan Dist, Hanoi, Viet Nam; Dept. of Basic Sciences and Environment, University of Copenhagen, Thorvaldsensvej 40, DK-1871 Frederiksberg C, Denmark; Hanoi University of Mining and Geology, Dong Ngac Dist., Hanoi, Viet Nam

Abstract: Sediments from the Red River and from an adjacent floodplain aquifer were investigated with respect to the speciation of Fe and As in the solid phase, to trace the diagenetic changes in the river sediment upon burial into young aquifers, and the related mechanisms of arsenic release to the groundwater. Goethite with subordinate amounts of hematite were, using Mössbauer spectroscopy, identified as the iron oxide minerals present in both types of sediment. The release kinetics of Fe, As, Mn and PO_4 from the sediment were investigated in leaching experiments with HCl and 10mM ascorbic acid, both at pH 3. From the river sediments, most of the Fe and As was mobilized by reductive dissolution with ascorbic acid while HCl released very little Fe and As. This suggests As to be associated with an Fe-oxide phase. For oxidized aquifer sediment most Fe was mobilized by ascorbic acid but here not much As was released. However, the reduced aquifer sediments contained a large pool of Fe(II) and As that is readily leached by HCl, probably derived from an unidentified authigenic Fe(II)-containing mineral which incorporates As as well. Extraction with ascorbic acid indicates that the river sediments contain both As(V) and As(III), while the reduced aquifer sediment almost exclusively releases As(III). The difference in the amount of Fe(II) leached from river and oxidized aquifer sediments by ascorbic acid and HCl, was attributed to reductive dissolution of Fe(III). The reactivity of this pool of Fe(III) was quantified by a rate law and compared to that of synthetic iron oxides. In the river mud, Fe(III) had a reactivity close to that of ferrihydrite, while the river sand and oxidized aquifer sediment exhibited a reactivity ranging from lepidocrocite or poorly crystalline goethite to hematite. Mineralogy by itself appears to be a poor predictor of the iron oxide reactivity in natural samples using the reactivity of synthetic Fe-oxides as a reference. Sediments were incubated, both unamended and with acetate added, and monitored for up to 2months. The river mud showed the fastest release of both Fe and As, while the effect of acetate addition was minor. This suggests that the presence of reactive organic carbon is not rate limiting. In the case of the river and aquifer sediments, the release of Fe and As was always stimulated by acetate addition and here reactive organic carbon was clearly the rate limiting factor. The reduced aquifer sediment apparently can sustain slower but prolonged microbially-driven release of As. The highly reactive pools of Fe(III) and As in the river mud could be due to reoxidation of As and Fe contained in the reducing groundwater from the floodplain aquifers that are discharging into the river. Deposition of the suspended mud on the floodplain during high river stages is proposed to be a major flux of As onto the floodplain and into the underlying aquifers. © 2010 Elsevier Ltd.

Index Keywords: aquifer; arsenic; ascorbic acid; floodplain; fluvial deposit; goethite; hematite; iron; iron

oxide; mineralogy; organic carbon; reaction kinetics; sediment chemistry; speciation (chemistry); Red River [Asia]; Viet Nam

Year: 2010

Source title: *Geochimica et Cosmochimica Acta*

Volume: 74

Issue: 12

Page : 3367-3381

Link: [Scopus Link](#)

Correspondence Address: Postma, D.; Dept. of Geochemistry, National Geological Survey of Denmark and Greenland, Øster Voldgade 10, DK-1350 Copenhagen, Denmark; email: diekepostma@gmail.com

ISSN: 167037

DOI: 10.1016/j.gca.2010.03.024

Language of Original Document: English

Abbreviated Source Title: *Geochimica et Cosmochimica Acta*

Document Type: Article

Source: Scopus

Authors with affiliations:

1. Postma, D., Dept. of Geochemistry, National Geological Survey of Denmark and Greenland, Øster Voldgade 10, DK-1350 Copenhagen, Denmark
2. Jessen, S., Dept. of Geochemistry, National Geological Survey of Denmark and Greenland, Øster Voldgade 10, DK-1350 Copenhagen, Denmark
3. Hue, N.T.M., Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, 334-Nguyen Trai, Thanhxuan Dist, Hanoi, Viet Nam
4. Duc, M.T., Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, 334-Nguyen Trai, Thanhxuan Dist, Hanoi, Viet Nam
5. Koch, C.B., Dept. of Basic Sciences and Environment, University of Copenhagen, Thorvaldsensvej 40, DK-1871 Frederiksberg C, Denmark
6. Viet, P.H., Research Centre for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, VNU, 334-Nguyen Trai, Thanhxuan Dist, Hanoi, Viet Nam
7. Nhan, P.Q., Hanoi University of Mining and Geology, Dong Ngac Dist., Hanoi, Viet Nam
8. Larsen, F., Dept. of Geochemistry, National Geological Survey of Denmark and Greenland, Øster Voldgade 10, DK-1350 Copenhagen, Denmark

References:

1. Ahmed, M.F., Ahuja, S., Alauddin, M., Hug, S.J., Lloyd, J.R., Pfaff, A., Pichler, T., van Geen, A., Epidemiology - ensuring safe drinking water in Bangladesh (2006) *Science*, 314, pp. 1687-1688
2. Akai, J., Izumi, K., Fukuhara, H., Masuda, H., Nakano, S., Yoshimura, T., Mineralogical and geomicrobiological investigations on groundwater arsenic enrichment in Bangladesh (2004) *Appl. Geochem.*, 19, pp. 215-230
3. Alexandratos, V.G., Elzinga, E.J., Reeder, R.J., Arsenate uptake by calcite: macroscopic and spectroscopic characterization of adsorption and incorporation mechanisms (2007) *Geochim. Cosmochim. Acta*, 71, pp. 4172-4187
4. Anawar, H.M., Akai, J., Yoshioka, T., Konohira, E., Lee, J.Y., Fukuhara, H., Tari Kul Alam, M., Garcia-Sanchez, A.,

- Mobilization of arsenic in groundwater of Bangladesh: evidence from an incubation study (2006) *Environ. Geochem. Health*, 28, pp. 553-565
5. Appelo, C.A.J., Postma, D., (2005) *Geochemistry Groundwater and Pollution*, p. 649. , Balkema Publ.
 6. Berg, M., Stengel, C., Trang, P.T.K., Viet, P.H., Sampson, M.L., Leng, M., Samreth, S., Fredericks, D., Magnitude of arsenic pollution in the Mekong and Red River Deltas - Cambodia and Vietnam (2007) *Sci. Total Environ.*, 372, pp. 413-425
 7. Chakraborty, S., Wolthers, M., Chatterjee, D., Charlet, L., Adsorption of arsenite and arsenate onto muscovite and biotite mica (2007) *J. Colloid Interface Sci.*, 309, pp. 392-401
 8. Datta, S., Mailloux, B., Jung, H.-B., Hoque, M.A., Stute, M., Ahmed, K.M., Zheng, Y., Redox trapping of arsenic during groundwater discharge in sediments from the Meghna riverbank in Bangladesh (2009) *Proc. Natl. Acad. Sci. USA*, 106, pp. 16930-16935
 9. Dixit, S., Hering, J.G., Comparison of arsenic(V) and arsenic(III) sorption onto iron oxide minerals: implications for arsenic mobility (2003) *Environ. Sci. Technol.*, 37, pp. 4182-4189
 10. Dowling, C.B., Poreda, R.J., Basu, A.R., Peters, S.L., Aggarwal, P.K., Geochemical study of arsenic release mechanisms in the Bengal Basin groundwater (2002) *Water Resour. Res.*, 38, pp. 1173-1190
 11. Gault, A.G., Islam, F.S., Polya, D.A., Charnock, J.M., Boothman, C., Chatterjee, D., Lloyd, J.R., Microcosm depth profiles of arsenic release in a shallow aquifer, West Bengal (2005) *Mineral. Mag.*, 69, pp. 855-863
 12. Goldberg, S., Glaubig, R.A., Anion sorption on a calcareous, montmorillonitic soil - arsenic (1988) *Soil Sci. Soc. Am. J.*, 52, pp. 1297-1300
 13. Harvey, C.F., Swartz, C.H., Badruzzaman, A.B.M., Keon-Blute, N., Yu, W., Ali, A., Jay, J., Ahmed, M.F., Arsenic mobility and groundwater extraction in Bangladesh (2002) *Science*, 298, pp. 1602-1606
 14. Heimann, A.C., Blodau, C., Postma, D., Larsen, F., Pham, H.V., Pham, Q.N., Jessen, S., Jakobsen, R., Hydrogen thresholds and steady state concentrations associated with microbial arsenate respiration (2007) *Environ. Sci. Technol.*, 41, pp. 2311-2317
 15. Horneman, A., van Geen, A., Kent, D.V., Mathe, P.E., Zheng, Y., Dhar, R.K., Decoupling of As and Fe release to Bangladesh groundwater under reducing conditions. Part I: Evidence from sediment profiles (2004) *Geochim. Cosmochim. Acta*, 68, pp. 3459-3473
 16. Hyacinthe, C., Bonneville, P., Van Cappellen, P., Reactive iron(III) in sediments: chemical versus microbial extractions (2006) *Geochim. Cosmochim. Acta*, 70, pp. 4166-4180
 17. Islam, F.S., Gault, A.G., Boothman, C., Polya, D.A., Charnock, J.M., Chatterjee, D., Lloyd, J.R., Role of metal-reducing bacteria in arsenic release from Bengal delta sediments (2004) *Nature*, 430, pp. 68-71
 18. Itai, T., Takahashi, Y., Seddique, A.A., Maruoka, T., Mitamura, M., Variations in the redox state of As and Fe measured by X-ray absorption spectroscopy in aquifers of Bangladesh and their effect on As adsorption (2010) *Appl. Geochem.*, 25, pp. 34-47
 19. Jung, H.B., Zheng, Y., Enhanced recovery of arsenite sorbed onto synthetic oxides by l-ascorbic acid addition to phosphate solution: calibrating a sequential leaching method for the speciation analysis of arsenic in natural samples (2006) *Water Res.*, 40, pp. 2168-2180
 20. Kocar, B.D., Polizzotto, M.L., Benner, S.G., Ying, S.C., Ung, M., Ouch, K., Samreth, S., Fendorf, S., Integrated biogeochemical and hydrologic processes driving arsenic release from shallow sediments to groundwaters of the Mekong delta (2008) *Appl. Geochem.*, 23, pp. 3059-3071
 21. Kocar, B.D., Fendorf, S., Thermodynamic constraints on reductive reactions influencing the biogeochemistry of arsenic in soils and sediments (2009) *Environ. Sci. Technol.*, 43, pp. 4871-4877

22. Larsen, F., Pham, N.Q., Dang, D.N., Postma, D., Jessen, S., Pham, V.H., Nguyen, T.B., Mai, T.D., Controlling geological and hydrogeological processes in an arsenic contaminated aquifer on the Red River floodplain, Vietnam (2008) *Appl. Geochem.*, 23, pp. 3099-3115
23. Larsen, O., Postma, D., Kinetics of bulk dissolution of lepidocrocite, ferrihydrite and goethite (2001) *Geochim. Cosmochim. Acta*, 65, pp. 1367-1379
24. Larsen, O., Postma, D., Jakobsen, R., The reactivity of iron oxides towards reductive dissolution in a shallow sandy aquifer (R??m??, Denmark) (2006) *Geochim. Cosmochim. Acta*, 70, pp. 4827-4835
25. Lear, G., Song, B., Gault, A.G., Polya, D.A., Lloyd, J.R., Molecular analysis of arsenate-reducing bacteria within Cambodian sediments following amendment with acetate (2007) *Appl. Environ. Microbiol.*, 73, pp. 1041-1048
26. McArthur, J.M., Ravenscroft, P., Safiulla, S., Thirlwall, M.F., Arsenic in groundwater: testing pollution mechanisms for sedimentary aquifers in Bangladesh (2001) *Water Resour. Res.*, 37, pp. 109-117
27. Meng, X., and Wang, W., (1998), Speciation of arsenic by disposable cartridges. In *Proc. Third Int. Conf. Arsenic Exposure and Health Effects*. Soc. Environ. Geochem. and Health, Univ. Colorado at Denver Murad, E., Cashion, J., (2004) *M??ssbauer Spectroscopy of Environmental Materials and their Industrial Utilization*, , Kluwer, Dordrecht
28. Nickson, R., McArthur, J., Burgess, W., Ahmed, K.M., Ravenscroft, P., Rahman, M., Arsenic poisoning of Bangladesh groundwater (1998) *Nature*, 395, p. 338
29. Nickson, R.T., McArthur, J.M., Ravenscroft, P., Burgess, W.G., Ahmed, K.M., Mechanism of arsenic release to groundwater, Bangladesh and West Bengal (2000) *Appl. Geochem.*, 15, pp. 403-413
30. Pedersen, H.D., Postma, D., Jakobsen, R., Larsen, O., Fast transformation of iron oxyhydroxides by the catalytic action of Fe(II) (2005) *Geochim. Cosmochim. Acta*, 69, pp. 3967-3977
31. Pedersen, H.D., Postma, D., Jakobsen, R., Release of arsenic associated with the reduction and transformation of iron oxides (2006) *Geochim. Cosmochim. Acta*, 70, pp. 4116-4129
32. Polizzotto, M.L., Harvey, C.F., Li, G., Badruzzman, B., Ali, A., Newville, M., Sutton, S., Fendorf, S., Solid-phases and desorption processes of arsenic within Bangladesh sediments (2006) *Chem. Geol.*, 228, pp. 97-111
33. Polizzotto, M.L., Kocar, B.D., Benner, S.B., Sampson, M., Fendorf, S., Near-surface wetland sediments as a source of arsenic release to ground water in Asia (2008) *Nature*, 454, pp. 505-508
34. Postma, D., The reactivity of iron oxides in sediments: a kinetic approach (1993) *Geochim. Cosmochim. Acta*, 57, pp. 5027-5034
35. Postma, D., Larsen, F., Nguyen, T.M.H., Mai, T.D., Pham, H.V., Pham, Q.N., Jessen, S., Arsenic in groundwater of the Red River floodplain, Vietnam: controlling geochemical processes and reactive transport modeling (2007) *Geochim. Cosmochim. Acta*, 71, pp. 5054-5071
36. Polya, D.A., Gault, A.G., Diebe, N., Feldman, P., Rosenboom, J.W., Gilligan, E., Arsenic hazard in shallow Cambodian groundwaters (2005) *Mineral. Mag.*, 69, pp. 807-823
37. Radloff, K.A., Cheng, Z.Q., Rahman, M.W., Ahmed, K.M., Mailloux, B.J., Juhl, A.R., Schlosser, P., van Geen, A., Mobilization of arsenic during one-year incubations of grey aquifer sands from Araihasar, Bangladesh (2007) *Environ. Sci. Technol.*, 41, pp. 3639-3645
38. Rom?n-Ross, G., Cuello, G.J., Turrillas, X., Fern?ndez-Mart??nez, A., Charlet, L., Arsenite sorption and co-precipitation with calcite (2006) *Chem. Geol.*, 233, pp. 328-336
39. Rowland, H.A.L., Gault, A.G., Lythgoe, P., Polya, D.A., Geochemistry of aquifer sediments and arsenic-rich groundwaters from Kandal Province, Cambodia (2008) *Appl. Geochem.*, 23, pp. 3029-3046
40. Sengupta, S., Mukherjee, P.K., Pal, T., Shome, S., Nature and origin of arsenic carriers in shallow aquifer sediments of

Bengal Delta, India (2004) *Environ. Geol.*, 45, pp. 1071-1081

41. Stachowicz, M., Hiemstra, T., Van Riemsdijk, W.H., Multi-competitive interaction of As(III) and As(V) oxyanions with Ca^{2+} , Mg^{2+} , PO_4^{3-} , and CO_3^{2-} ions on goethite (2008) *J. Colloid Interface Sci.*, 320, pp. 400-414
42. Stookey, L.L., Ferrozine - a new spectrophotometric reagent for iron (1970) *Anal. Chem.*, 42, pp. 779-781
43. Sutton, N.B., van der Kraan, G.M., van Loosdrecht, M.C.M., Muyzer, G., Bruining, J., Schotting, R.J., Characterization of geochemical constituents and bacterial populations associated with As mobilization in deep and shallow tube wells in Bangladesh (2009) *Water Res.*, 43, pp. 1720-1730
44. Swartz, C.H., Blute, N.K., Badruzzman, B., Ali, A., Brabander, D., Jay, J., Mobility of arsenic in a Bangladesh aquifer: inferences from geochemical profiles, leaching data, and mineralogical characterization (2004) *Geochim. Cosmochim. Acta*, 68, pp. 4539-4557
45. S??, H.U., Postma, D., Jakobsen, R., Larsen, F., Sorption and desorption of arsenate and arsenite on calcite (2008) *Geochim. Cosmochim. Acta*, 72, pp. 5871-5884
46. Thompson, A., Chadwick, O.A., Rancourt, D.G., Chorover, J., Iron-oxide crystallinity increases during soil redox oscillations (2006) *Geochim. Cosmochim. Acta*, 70, pp. 1710-1727
47. Tufano, K.J., Fendorf, S., Confounding impacts of iron reduction on arsenic retention (2008) *Environ. Sci. Technol.*, 42, pp. 4777-4783
48. Tufano, K.J., Reyes, C., Saltikov, C.D., Fendorf, S., Reductive processes controlling arsenic retention: revealing the relative importance of iron and arsenic reduction (2008) *Environ. Sci. Technol.*, 42, pp. 8283-8289
49. van der Zee, C., Roberts, D.R., Rancourt, D.G., Slomp, C.P., Nanogoethite is the dominant reactive oxyhydroxide phase in lake and marine sediments (2003) *Geology*, 31, pp. 993-996
50. van der Zee, C., van Raaphorst, W., Manganese oxide reactivity in North Sea sediments (2004) *J. Sea Res.*, 52, pp. 73-85
51. van Geen, A., Rose, J., Thorai, S., Garnier, J.M., Zheng, Y., Bottero, J.Y., Decoupling of As and Fe release to Bangladesh groundwater under reducing conditions. Part II: Evidence from sediment incubations (2004) *Geochim. Cosmochim. Acta*, 68, pp. 3475-3486
52. Yu, W.H., Harvey, C.M., Harvey, C.F., Arsenic in groundwater in Bangladesh: a geostatistical and epidemiological framework for evaluating health effects and potential remedies (2003) *Water Resour. Res.*, 39, pp. 1-17

Download Full Text: 0148.pdf