

# Pollution sources and occurrences of selected persistent organic pollutants (POPs) in sediments of the Mekong River delta, South Vietnam

Minh N.H., Minh T.B., Kajiwara N., Kunisue T., Iwata H., Viet P.H., Cam Tu N.P., Tuyen B.C., Tanabe S.

Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan; Hanoi National University, 334 Nguyen Trai Str., Thanh Xuan Distr, Hanoi, Viet Nam; Faculty of Agriculture, Ehime University, Tarumi 3-5-7, Matsuyama, 790-8566, Japan; Nong Lam University, Thu Duc Distr, Hochiminh, Viet Nam

**Abstract:** The Mekong River delta is one of the largest agricultural land in the Southeast Asia. It plays a very important role for agriculture and fisheries in South Vietnam. However, comprehensive studies on the environmental pollution of persistent organic pollutants (POPs) in Mekong River delta have not been carried out in recent years. In this study, we collected sediment samples from the Mekong River to evaluate the contamination and ecological risks caused by several POPs. The contamination pattern of POPs was DDT > PCBs > CHLs > HCHs > HCB. DDTs are the most abundant pollutants, their concentration ranging from 0.01 to 110 ng/g dry wt, followed by PCBs (0.039-9.2 ng/g dry wt). DDTs and PCBs concentrations were higher in sediment from adjacent to urban areas than those from rural and agricultural sites, suggesting urban areas as important point sources of DDTs and PCBs to the river. Ratio of p,p'-DDT/p,p'-DDE was lower compared to those previously reported. However, some samples still had the ratio higher than 0.5, indicating recent input of DDT into the aquatic environments. This result shows that although the magnitude of contamination decreased over time, recent inputs of DDTs to the river still occur. Some sediment samples had concentrations of DDT compounds higher than the standards from the Canadian Environmental Quality Guideline, suggesting continuous monitoring for POPs contamination in the Mekong River is necessary. ?? 2006 Elsevier Ltd. All rights reserved.

**Author Keywords:** Mekong River; Pollution source; POPs; Sediment; Vietnam

**Index Keywords:** Concentration (process); Contamination; Ecology; Environmental impact; Risk assessment; Sediments; Persistent organic pollutants (POP); Pollution sources; Soil surveys; chlordane; chlorphenotane; hexachlorobenzene; hexachlorocyclohexane; polychlorinated biphenyl; Concentration (process); Contamination; Ecology; Environmental impact; Risk assessment; Sediments; Soil surveys; DDE; DDT; environmental risk; HCH; hexachlorobenzene; organic pollutant; PCB; pollutant source; sediment pollution; urban area; agriculture; article; comparative study; ecology; organic pollution; pollutant; river; rural area; sediment; urban area; Viet Nam; water contamination; water pollution; Cities; DDT; Ecology; Environmental Monitoring; Environmental Pollutants; Geography; Geologic Sediments; Hydrocarbons, Chlorinated; Industry; Polychlorinated Biphenyls; Public Health; Risk Assessment; Rivers; Time Factors; Vietnam; Asia; Canada; Eurasia; Mekong Delta; North America; Southeast Asia; Viet Nam

Year: 2007

Source title: Chemosphere

Volume: 67

Issue: 9

Page : 1794-1801

Cited by: 17

Link: Scopus Link

Chemicals/CAS: chlordane, 12789-03-6, 57-74-9; chlorphenotane, 50-29-3; hexachlorobenzene, 118-74-1, 55600-34-5; hexachlorocyclohexane, 608-73-1; DDT, 50-29-3; Environmental Pollutants; Hydrocarbons, Chlorinated; Polychlorinated Biphenyls

Correspondence Address: Tanabe, S.; Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan; email: shinsuke@agr.ehime-u.ac.jp

ISSN: 456535

CODEN: CMSHA

DOI: 10.1016/j.chemosphere.2006.05.144

PubMed ID: 17223174

Language of Original Document: English

Abbreviated Source Title: Chemosphere

Document Type: Article

Source: Scopus

Authors with affiliations:

1. Minh, N.H., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan
2. Minh, T.B., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan
3. Kajiwara, N., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan
4. Kunisue, T., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan
5. Iwata, H., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan
6. Viet, P.H., Hanoi National University, 334 Nguyen Trai Str., Thanh Xuan Distr, Hanoi, Viet Nam
7. Cam Tu, N.P., Faculty of Agriculture, Ehime University, Tarumi 3-5-7, Matsuyama, 790-8566, Japan
8. Tuyen, B.C., Nong Lam University, Thu Duc Distr, Hochiminh, Viet Nam
9. Tanabe, S., Center for Marine Environmental Studies, Ehime University, Bunkyo-cho 2-5, Matsuyama, 790-8577, Japan

References:

1. Barakat, A.O., Kim, M., Qian, Y., Wade, T.L., Organochlorine pesticides and PCBs residues in sediments of Alexandria Harbour, Egypt (2002) Mar. Pollut. Bull., 44, pp. 1421-1434
2. Bidleman, T.F., Jantunen, L.M., Harner, T., Wiberg, K., Wideman, J.L., Brice, K., Su, K., Leone, A.D., Chiral pesticides as tracers of air-surface exchange (1998) Environ. Pollut., 102, pp. 43-49
3. Chapman, P.M., Ho, K.T., Munns Jr., W.R., Solomon, K., Weinstein, M.P., Issues in sediment toxicity and ecological risk assessment (2002) Mar. Pollut. Bull., 44, pp. 271-278
4. Cheek, A.O., Kow, K., Chen, J., McLachlan, J.A., Potential mechanisms of thyroid disruption in humans - interaction of organochlorine compounds with thyroid receptor, transthyretin, and thyroid-binding globulin (1999) Environ. Health Perspect., 107, pp. 273-278
5. Colborn, T., vom Saal, F.S., Soto, A.M., Developmental effects of endocrine-disrupting chemicals in wildlife and humans (1993) Environ. Health Perspect., 101, pp. 378-384
6. Doong, R., Peng, Ch., Sun, Y., Liao, P., Composition and distribution of organochlorine pesticide residues in surface

- sediments from the Wu-Shi river estuary, Taiwan (2002) Mar. Pullut. Bull., 45, pp. 246-253
7. Doong, R., Sun, Y., Lioa, P., Peng, Ch., Wu, Sh., Distribution and fate of organochlorine pesticide residues in sediments from the selected rivers in Taiwan (2002) Chemosphere, 48, pp. 237-246
  8. Fillmann, G., Readman, J.W., Tolosa, I., Bartocci, J., Persistent organochlorine residues in sediments from the Black Sea (2002) Mar. Pullut. Bull., 44, pp. 122-133
  9. Fu, J., Mai, B., Sheng, G., Zhang, G., Wang, X., Peng, P., Xiao, X., Tang, U.W., Persistent organic pollutants in environment of the Pearl River delta, China: an overview (2003) Chemosphere, 52, pp. 1411-1422
  10. Hong, H., Chen, W., Xu, L., Wang, X., Zhang, L., Distribution and fate of organochlorine pollutants in the Pear River estuary (1999) Mar. Pullut. Bull., 12, pp. 376-382
  11. Hong, S.H., Yim, U.H., Sim, W.J., Oh, I.R., Lee, I.S., Horizontal and vertical distribution of PCBs and chlorinated pesticides in sediments from Masan Bay, Korea (2003) Mar. Pullut. Bull., 46, pp. 244-253
  12. Iwata, H., Tanabe, S., Sakai, N., Nishimura, A., Tatsukawa, R., Geographical distribution of persistent organochlorines in air, water and sediments from Asia and Oceania and their implications for global redistribution from lower latitudes (1994) Environ. Pollut., 85, pp. 15-33
  13. Iwata, H., Tanabe, S., Ueda, K., Tatsukawa, R., Persistent organochlorine residues in air, water, sediments and soils from the lake Baikal region, Russia (1995) Environ. Sci. Technol., 29, pp. 792-801
  14. Kannan, K., Tanabe, S., Tatsukawa, R., Geographical distribution and accumulation features of organochlorines residues in fishes from tropical Asia and Oceania (1995) Environ. Sci. Technol., 29, pp. 2673-2683
  15. Kelce, W.R., Persistent DDT metabolite p,p'-DDE is a potent androgen receptor antagonist (1995) Nature, 375 (6532), pp. 581-585
  16. Lan, C.D.H., Slooten, K.B., Sauvain, J.J., Triet, L.M., Tarradellas, J., Toxicity of sediments from the Ho Chi Minh City canals and Saigon River, Viet Nam (2000) Environ. Toxicol., 16, pp. 469-475
  17. Minh, T.B., Kunisue, T., Yen, N.T.H., Watanabe, M., Tanabe, S., Hue, N.D., Qui, V., Persistent organochlorine residues and their bioaccumulation profiles in resident and migratory birds from North Vietnam (2002) Environ. Toxicol. Chem., 21, pp. 2108-2118
  18. Minh, N.H., Someya, M., Minh, T.B., Kunisue, T., Watanabe, M., Tanabe, S., Viet, P.H., Tuyen, B.C., Persistent organochlorine residues in human breast milk from Hanoi and Hochiminh city, Vietnam: contamination, accumulation kinetics and risk assessment for infants (2004) Environ. Pollut., 129, pp. 431-441
  19. Monirith, I., Ueno, D., Takahashi, Sh., Nakata, H., Sudaryanto, A., Subramanian, A., Karuppiah, S., Tanabe, S., Asia-pacific mussel watch: monitoring contamination of persistent organochlorine compounds in coastal waters of Asian countries (2003) Mar. Pollut. Bull., 46, pp. 281-300
  20. Nhan, D.D., Am, N.M., Hoi, Ch., Dieu, L.V., Carvalho, F.P., Villeneuve, J.P., Cattini, C., Organochlorine pesticides and PCBs in the Red river delta, North Vietnam (1998) Mar. Pollut. Bull., 36, pp. 742-749
  21. Nhan, D.D., Carvalho, F.P., Am, N.M., Tuan, N.Q., Yen, N.T.H., Villeneuve, J.P., Cattini, C., Chlorinated pesticides and PCBs in sediments and molluses from freshwater canals in Hanoi, Vietnam (2001) Environ. Pollut., 112, pp. 311-320
  22. Phuong, P.K., Son, C.P., Sauvain, J.J., Tarradellas, J., Contamination by PCBs, DDTs, and heavy metals in sediments of Ho Chi Minh city's canals, Viet Nam (1998) Bull. Environ. Contam. Toxicol., 60, pp. 347-354
  23. Rawn, D.F.K., Lockhart, W.L., Wilkinson, P., Savoie, D.A., Rosenberg, G.B., Muir, D.C.G., Historical contamination of Yukon Lake sediments by PCBs and organochlorine pesticides: influence of local sources and watershed characteristics (2001) Sci. Total Environ., 280, pp. 17-37
  24. Ross, P.S., Birnbaum, L.S., Integrated human and ecological risk assessment: a case study of persistent organic pollutants

(POPs) in humans and wildlife (2003) *Hum. Ecol. Risk Assess.*, 9, pp. 303-324

25. Strandberg, B., Van Bavel, B., Bergqvist, P., Broman, D., Ishaq, R., Pettersen, H., Rappe, Ch., Occurrence, sedimentation and spatial variation of organochlorine contaminants on settling particulate matter and sediments in the Northern part of the Baltic Sea (1998) *Environ. Sci. Technol.*, 32, pp. 1754-1759
26. Thao, V.D., Kawano, M., Tatsukawa, R., Persistent organochlorines residues in soils from tropical and sub-tropical Asian countries (1993) *Environ. Pollut.*, 81, pp. 61-71
27. Torres, J.P.M., Pfeiffer, Wol.C., Markowitz, S., Pause, R., Malm, O., Japenga, J., Dichlorodiphenyltrichloroethane in soil, river sediment, and fish in the Amazon in Brazil (2002) *Environ. Res.*, 88, pp. 134-139
28. Vos, J.G., Dybing, E., Greim, H.A., Ladefoged, A., Lambr??, C., Tarazona, J.V., Brandt, I., Vethaak, A.D., Health effects of endocrine-disrupting chemicals on wildlife, with special reference to the European situation (2000) *Crit. Rev. Toxicol.*, 30, pp. 71-133
29. Zhang, Z.L., Hong, H.S., Zhou, J.L., Huang, J., Yu, G., Fate and assessment of persistent organic pollutants in water and sediment from Minjiang river estuary, Southeast China (2003) *Chemosphere*, 52, pp. 1423-1430
30. Zhou, J.L., Maskoui, K., Qiu, Y.W., Hong, H.S., Wang, Z.D., Polychlorinated biphenyl congeners and organochlorine insecticides in the water column and sediments of Daya bay, China (2001) *Environ. Pollut.*, 113, pp. 373-384

Download Full Text: 0593.pdf