

Crystalline evolution and large coercivity in Dy-doped (Nd,Dy) $2\text{Fe}_{14}\text{B}/\gamma\text{-Fe}$ nanocomposite magnets

The N.D., Hoa N.Q., Oh S.K., Yu S.C., Anh H.D., Vu L.V., Chau N.

Center for Materials Science, College of Science, Vietnam National University Hanoi, 334 Nguyen Trai Road, Hanoi, Viet Nam; Department at Physics and Astronomy, University of Glasgow, Glasgow G12 8QQ, United Kingdom; Department of Physics, Chungbuk National University, 361-763 Cheongju, South Korea

Abstract: Nanocomposite hard magnetic materials $(\text{Nd,Dy})_{4.5}\text{Fe}_{77.5}\text{B}_{18}$ (No. 1) and $(\text{Nd,Dy})_{4.5}\text{Fe}_{76}\text{B}_{18}\text{Nb}_{1.2}\text{Cu}_{0.3}$ (No. 2) have been prepared by crystallizing amorphous ribbons, fabricated by single roll melt-spinning. The evolution of a multiphase structure was monitored by an x-ray diffractometer and by thermomagnetic measurement. We observed that, at annealing temperatures below 670 °C, there is crystallization of soft phase Fe_3B and a small amount of hard phase $\text{Nd}_2\text{Fe}_{14}\text{B}$. At annealing temperatures above 670 °C, crystallization of $\gamma\text{-Fe}$ and probably $\text{Dy}_2\text{Fe}_{14}\text{B}$ phases with large magnetocrystalline anisotropy led to a drastic enhancement in the hard magnetic properties of the materials. The maximum value of H_C is found to be 4.2 kOe for sample No. 1. For sample No. 2, with co-doping of Nb and Cu, nanostructure refinement yields a strong enhancement in exchange coupling between the component phases. Thereby, we obtained high reduced-remanence of 0.78, high remanence of 1.15 and a high $(BH)_{\text{max}}$ value up to 16.2 MGOe. © 2007 IOP Publishing Ltd.

Index Keywords: Annealing; Coercive force; Doping (additives); Dysprosium; Magnetocrystalline anisotropy; Nanocrystallization; Remanence; X ray diffraction analysis; Multiphase structure; Nanocomposite magnets; Thermomagnetic measurement; Magnets

Year: 2007

Source title: Journal of Physics D: Applied Physics

Volume: 40

Issue: 1

Art. No.: 1

Page : 119-122

Cited by: 4

Link: [Scopus Link](#)

Correspondence Address: Chau, N.; Center for Materials Science, College of Science, Vietnam National University Hanoi, 334 Nguyen Trai Road, Hanoi, Viet Nam; email: chau@cms.edu.vn

ISSN: 223727

CODEN: JPAPB

DOI: 10.1088/0022-3727/40/1/001

Language of Original Document: English

Abbreviated Source Title: Journal of Physics D: Applied Physics

Document Type: Conference Paper

Source: Scopus

Authors with affiliations:

1. The, N.D., Center for Materials Science, College of Science, Vietnam National University Hanoi, 334 Nguyen Trai Road, Hanoi, Viet Nam, Department at Physics and Astronomy, University of Glasgow, Glasgow C12 8QQ, United Kingdom
2. Hoa, N.Q., Center for Materials Science, College of Science, Vietnam National University Hanoi, 334 Nguyen Trai Road, Hanoi, Viet Nam, Department of Physics, Chungbuk National University, 361-763 Cheongju, South Korea
3. Oh, S.K., Department of Physics, Chungbuk National University, 361-763 Cheongju, South Korea
4. Yu, S.C., Department of Physics, Chungbuk National University, 361-763 Cheongju, South Korea
5. Anh, H.D., Center for Materials Science, College of Science, Vietnam National University Hanoi, 334 Nguyen Trai Road, Hanoi, Viet Nam
6. Vu, L.V., Center for Materials Science, College of Science, Vietnam National University Hanoi, 334 Nguyen Trai Road, Hanoi, Viet Nam
7. Chau, N., Center for Materials Science, College of Science, Vietnam National University Hanoi, 334 Nguyen Trai Road, Hanoi, Viet Nam

References:

1. Coehoorn, R., De Mooij, D.B., De Waard, C., (1989) *J. Magn. Magn. Mater.*, 80 (1), p. 101
2. Xiong, X.Y., Hono, K., Hirosawa, S., Kaneikiyo, H., (2002) *J. Appl. Phys.*, 91 (11), p. 9308
3. Zhang, X.Y., Al, E., (2002) *Phys. Rev.*, 66 (21), p. 212103
4. Lin, Z.Q., Cui, B.Z., Liu, J.P., Ding, Y., Wang, Z.L., Thadhanni, N.N., (2004) *Appl. Phys. Lett.*, 84 (22), p. 4382
5. Chau, N., Chien, N.X., Hoa, N.Q., Luong, N.H., Niem, P.Q., Tho, N.D., Hiep, V.V., (2004) *J. Magn. Magn. Mater.*, 282, p. 174
6. Betancourt, I., Davies, H.A., (2005) *Appl. Phys. Lett.*, 87 (16), p. 162516
7. Chu, K.-T., Jin, Z.Q., Chakka, V.M., Liu, J.P., (2005) *J. Phys. D: Appl. Phys.*, 22, p. 4009
8. The, N.D., Chau, N., Vuong, N.V., Quyen, N.H., (2006) *J. Magn. Magn. Mater.*, 303 (2), pp. 419-e422
9. Zeng, H., Li, J., Liu, J.P., Wang, Z.L., Sun, S., (2002) *Nature*, 420 (6914), p. 395
10. Sui, Y.C., Liu, W., Yue, L.P., Li, X.Z., Zhou, J., Skomski, R., Sellmyer, D.J., (2005) *J. Appl. Phys.*, 97 (10), pp. 10J304
11. Zhang, W., Louzguine, D.V., Inoue, A., (2004) *Appl. Phys. Lett.*, 85 (21), p. 4998
12. Chang, C.W., Chang, H.W., Chiu, C.H., Chang, W.C., (2005) *J. Appl. Phys.*, 97 (10), pp. 10N117
13. Liu, W., Zhang, Z.D., Liu, J.P., Dai, Z.R., Wang, Z.L., Sun, X.K., Sellmyer, D.J., (2003) *J. Phys. D: Appl. Phys.*, 36 (17), p. 63
14. Chang, H.W., Chiu, C.H., Chang, W.C., (2003) *Appl. Phys. Lett.*, 82 (25), p. 4513
15. Zhang, W.Y., Chang, H.W., Chiu, C.H., Chang, W.C., (2004) *J. Alloys Compounds*, 379 (1-2), p. 28
16. Li, S., Gu, B.X., Sen, Y., Hong, B., Yaodong, D., Zongjun, T., Guozhi, X., Zuanru, Y., (2002) *J. Phys. D: Appl. Phys.*, 35 (8), p. 732
17. Ping, D.H., Hono, K., Kaneikiyo, H., Hirosawa, S., (1999) *Acta Metall.*, 47, p. 4641
18. Sagawa, M., Fujimura, S., Yamoto, H., Matsuura, Y., Hiraga, K., (1984) *IEEE Trans. Magn.*, 20 (5), p. 1584