

Preparation of magnetic nanoparticles embedded in polystyrene microspheres

Hai N.H., Luong N.H., Chau N., Tai N.Q.

Center for Materials Science, Hanoi University of Science, Vietnam National University, 334 Nguyen Trai,
Hanoi, Hanoi, Viet Nam

Abstract: Superparamagnetic particles are widely used for biological applications such as cell separation. The size of the particles is normally in the range of 10 - 20 nm which is much smaller than the size of a cell. Therefore small particles create small force which is not strong enough to separate the cells from solution. Superparamagnetic nanoparticles embedded in Polystyrene microspheres (magnetic beads) are very useful for cell separation. Magnetic beads have been prepared by solvent evaporation of an emulsion. The beads with size of 0.2 μ m - 1.0 μ m have a saturation magnetization of 10 - 25 emu/g. The change of the amount of surfactants, volatile solvent, magnetic particles resulted to the change of size, magnetic properties of the magnetic beads. ?? 2009 IOP Publishing Ltd.

Author Keywords: Bio application; Fe_3O_4 ; Magnetic beads; Nanoparticles; Superparamagnetism

Year: 2009

Source title: Journal of Physics: Conference Series

Volume: 187

Art. No.: 12009

Cited by: 1

Link: [Scopus Link](#)

Correspondence Address: Hai, N. H.; Center for Materials Science, Hanoi University of Science, Vietnam National University, 334 Nguyen Trai, Hanoi, Hanoi, Viet Nam; email: nhhai@vnu.edu.vn

ISSN: 17426588

DOI: 10.1088/1742-6596/187/1/012009

Language of Original Document: English

Abbreviated Source Title: Journal of Physics: Conference Series

Document Type: Conference Paper

Source: Scopus

Authors with affiliations:

1. Hai, N.H., Center for Materials Science, Hanoi University of Science, Vietnam National University, 334 Nguyen Trai, Hanoi, Hanoi, Viet Nam
2. Luong, N.H., Center for Materials Science, Hanoi University of Science, Vietnam National University, 334 Nguyen Trai, Hanoi, Hanoi, Viet Nam
3. Chau, N., Center for Materials Science, Hanoi University of Science, Vietnam National University, 334 Nguyen Trai, Hanoi, Hanoi, Viet Nam
4. Tai, N.Q., Center for Materials Science, Hanoi University of Science, Vietnam National University, 334 Nguyen Trai, Hanoi, Hanoi, Viet Nam

References:

1. Khuat, N.T., Nguyen, V.A.T., Phan, T.N., Thach, C.V., Hai, N.H., Chau, N., (2008) J. Korean Phys. Soc., 52, p. 1323
2. Gupta, A.K., Gupta, M., (2005) Biomaterials, 26, p. 3995
3. Moghimi, S.M., Hunter, A.C.H., (2001) Pharm. Rev., 53, p. 283
4. Curtis, A.S.G., Wilkinson, C., (2001) Trends Biotech., 19, p. 97
5. Wilkinson, J.M., (2003) Med. Device Technol., 14, p. 29
6. Panyam, J., Labhasetwar, V., (2003) Adv. Drug Del. Rev., 55, p. 329
7. Thach, C.V., Hai, N.H., Chau, N., (2008) J. Korean Phys. Soc., 52, p. 1332
8. Ramirez, L.P., Landfester, K., (2003) Macromol. Chem. Phys., 204, p. 22
9. The, N.D., Hai, N.H., Anh, H.D., Hiep, V.V., Vu, L.V., Huu, C.X., Chau, N., (2008) J. Korean Phys. Soc., 52, p. 1415
10. Lien, V.T.K., Ha, C.V., Thuy, T.T.T., Hanh, V.T.H., Cuong, P.T., Ha, L.T., Ca, V.X., Nga, P.T., (2007), p. 264Johansen, P., Merkle, H.P., Gander, B., (2000) Eur. J. Pharm. Biopharm., 50, p. 413
11. Thomasin, C., Johansen, P., Alder, R., Bemsel, R., Hottinger, G., Altorfer, H., Wright, A.D., Gander, B., (1998) Eur. J. Pharm. Biopharm., 42, p. 1233
12. Freitas, S., Merkle, H.P., Gander, B., (2005) J. Control. Release, 102, p. 313