## Arsenic removal from groundwater by household sand filters: Comparative field study, model calculations, and health benefits

## Berg M., Luzi S., Trang P.T.K., Viet P.H., Giger W., Stuben D.

Eawag, Swiss Federal Institute of Aquatic Science and Technology, Ueberlandstrasse 133, 8600 D?bendorf, Switzerland; Center for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, 334 Nguyen Trai, Hanoi, Viet Nam; Institute for Mineralogy and Geochemistry, University of Karlsruhe, Kaiserstrasse 12, D-76128 Karlsruhe, Germany

Abstract: Arsenic removal efficiencies of 43 household sand filters were studied in rural areas of the Red River Delta in Vietnam. Simultaneously, raw groundwater from the same households and additional 31 tubewells was sampled to investigate arsenic coprecipitation with hydrous ferric iron from solution, i.e., without contact to sand surfaces. From the groundwaters containing 10-382 ?g/L As, 99%, 90%, and 71%, respectively. The concentration of dissolved iron in groundwater was the decisive factor for the removal of arsenic. Residual arsenic levels below 50 ?g/L were achieved by 90% of the studied sand filters, and 40% were even below 10 ?g/L. Fe/As ratios of ?50 or ?250 were required to ensure arsenic removal to levels below 50 or 10 ?g/L, respectively. Phosphate concentrations >2.5 mg P/L slightly hampered the sand filter and coprecipitation efficiencies. Interestingly, the overall arsenic elimination was higher than predicted from model calculations based on sorption constants determined from coprecipitation experiments with artificial groundwater. This observation is assumed to result from As(III) oxidation involving Mn, microorganisms, and possibly dissolved organic matter present in the natural groundwaters. Clear evidence of lowered arsenic burden for people consuming sand-filtered water is demonstrated from hair analyses. The investigated sand filters proved to operate fast and robust for a broad range of groundwater composition and are thus also a viable option for mitigation in other arsenic affected regions. An estimation conducted for Bangladesh indicates that a median residual level of 25 ?g/L arsenic could be reached in 84% of the polluted groundwater. The easily observable removal of iron from the pumped water makes the effect of a sand filter immediately recognizable even to people who are not aware of the arsenic problem. ?? 2006 American Chemical Society.

Index Keywords: Arsenic; Concentration (process); Filters (for fluids); Groundwater pollution; Oxidation; Precipitation (chemical); Artificial groundwater; Coprecipitation; Sand filter; Water treatment; arsenic; dissolved organic matter; ferric ion; ground water; iron; manganese; phosphate; phosphorus; Arsenic; Concentration (process); Filters (for fluids); Groundwater pollution; Oxidation; Precipitation (chemical); Water treatment; arsenic; comparative study; groundwater pollution; oxidation; pollution control; precipitation (chemistry); removal experiment; rural area; aqueous solution; article; Bangladesh; biodegradation; chemical composition; comparative study; concentration (parameters); controlled study; dissolution; filter; health status; heavy metal removal; household; human; human tissue; major clinical study; model; oxidation; precipitation; rural area; sand; surface property; Viet Nam; water pollution; water treatment; Arsenic; Filtration; Hair; Humans; Models, Theoretical; Precipitation; Silicon Dioxide; Vietnam; Water Pollutants, Chemical; Asia; Eurasia; Red River Delta; Southeast Asia; Viet Nam

Year: 2006

Source title: Environmental Science and Technology

Volume: 40 Issue: 17

Page: 5567-5573

Cited by: 29

Link: Scorpus Link

Chemicals/CAS: arsenic, 7440-38-2; ferric ion, 20074-52-6; iron, 14093-02-8, 53858-86-9, 7439-89-6; manganese, 16397-91-4, 7439-96-5; phosphate, 14066-19-4, 14265-44-2; phosphorus, 7723-14-0; Arsenic, 7440-38-2; Silicon Dioxide, 7631-86-9; Water Pollutants, Chemical

Correspondence Address: Berg, M.; Eawag, Swiss Federal Institute of Aquatic Science and Technology, Ueberlandstrasse 133, 8600 D?bendorf, Switzerland; email: michael.berg@eawag.ch

ISSN: 0013936X CODEN: ESTHA

DOI: 10.1021/es060144z

Language of Original Document: English

Abbreviated Source Title: Environmental Science and Technology

Document Type: Article

Source: Scopus

Authors with affiliations:

- 1. Berg, M., Eawag, Swiss Federal Institute of Aquatic Science and Technology, Ueberlandstrasse 133, 8600 D?bendorf,
- 2. Luzi, S., Eawag, Swiss Federal Institute of Aquatic Science and Technology, Ueberlandstrasse 133, 8600 D?bendorf, Switzerland
- 3. Trang, P.T.K., Center for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, 334 Nguyen Trai, Hanoi, Viet Nam
- 4. Viet, P.H., Center for Environmental Technology and Sustainable Development (CETASD), Hanoi University of Science, 334 Nguyen Trai, Hanoi, Viet Nam
- 5. Giger, W., Eawag, Swiss Federal Institute of Aquatic Science and Technology, Ueberlandstrasse 133, 8600 D?bendorf, Switzerland
- 6. St?ben, D., Institute for Mineralogy and Geochemistry, University of Karlsruhe, Kaiserstrasse 12, D-76128 Karlsruhe, Germany

## References:

- 1. Berg, M., Tran, H.C., Nguyen, T.C., Pham, H.V., Schertenleib, R., Giger, W., Arsenic contamination of groundwater and drinking water in Vietnam: A human health threat (2001) Environ. Sci. Technol., 35, pp. 2621-2626
- Chakraborti, D., Mukherjee, S.C., Pati, S., Sengupta, M.K., Rahman, M.M., Chowdhury, U.K., Lodh, D., Basul, G.K., Arsenic groundwater contamination in Middle Ganga Plain, Bihar, India: A future danger? (2003) Environ. Health Perspect., 111, pp. 1194-1201
- 3. Stuben, D., Berner, Z., Chandrasekharam, D., Karmakar, J., Arsenic enrichment in groundwater of West Bengal, India: Geochemical evidence for mobilization of as under reducing conditions (2003) Appl. Geochem., 18, pp. 1417-1434

- 4. Smedley, P.L., Kinniburgh, D.G., A review of the source, behaviour and distribution of arsenic in natural waters (2002) Appl. Geochem., 17, pp. 517-568
- 5. Xia, Y.J., Liu, J., An overview on chronic arsenism via drinking water in FIR China (2004) Toxicology, 198, pp. 25-29
- 6. Trang, P.T.K., Berg, M., Viet, P.H., Van Mui, N., Van Der Meer, J.R., Bacterial bioassay for rapid and accurate analysis of arsenic in highly variable groundwater samples (2005) Environ. Sci. Technol., 39, pp. 7625-7630
- 7. Giger, W., Berg, M., Pham, H.V., Duong, H.A., Tran, H.C., Cao, T.H., Schertenleib, R., Environmental analytical research in Northern Vietnam A Swiss-Vietnamese cooperation focusing on arsenic and organic contaminants in aquatic environments and drinking water (2003) Chimia, 57, pp. 529-536
- 8. Cheng, R.C., Wang, H.C., Beuhler, M.D., Enhanced coagulation for arsenic removal (1994) J. Am. Water Works Assoc., 86, pp. 79-90
- 9. Hering, J.G., Chen, P.Y., Wilkie, J.A., Elimelech, M., Liang, S., Arsenic removal by ferric chloride (1996) J. Am. Water Works Assoc., 88, pp. 155-167
- 10. Meng, X.G., Korfiatis, G.P., Christodoulatos, C., Bang, S., Treatment of arsenic in Bangladesh well water using a household coprecipitation and filtration system (2001) Water Res., 35, pp. 2805-2810
- 11. Hug, S.J., Canonica, L., Wegelin, M., Gechter, D., Von Gunten, U., Solar oxidation and removal of arsenic at circumneutral pH in iron containing waters (2001) Environ. Sci. Technol., 35, pp. 2114-2121
- 12. Raven, K.P., Jain, A., Loeppert, R.H., Arsenite and arsenate adsorption on ferrihydrite: Kinetics, equilibrium, and adsorption envelopes (1998) Environ. Sci. Technol., 32, pp. 344-349
- 13. Pierce, M.L., Moore, C.B., Adsorption of arsenite and arsenate on amorphous iron hydroxide (1982) Water Res., 16, pp. 1247-1253
- 14. Thirunavukkarasu, O.S., Viraraghavan, T., Subramanian, K.S., Arsenic removal from drinking water using iron oxide-coated sand (2003) Water Air Soil Pollut., 142, pp. 95-111
- 15. Jessen, S., Larsen, F., Koch, C.B., Arvin, E., Sorption and desorption of arsenic to ferrihydrite in a sand filter (2005) Environ. Sci. Technol., 39, pp. 8045-8051
- 16. Leupin, O.X., Hug, S.J., Badruzzaman, A.B.M., Arsenic removal from Bangladesh tube well water with filter columns containing zerovalent iron filings and sand (2005) Environ. Sci. Technol., 39, pp. 8032-8037
- 17. Meng, X.G., Korfiatis, G.P., Bang, S.B., Bang, K.W., Combined effects of anions on arsenic removal by iron hydroxides (2002) Toxicol. Lett., 133, pp. 103-111
- 18. Mamtaz, R., Bache, D.H., Reduction of arsenic in groundwater by coprecipitation with iron (2001) J. Water Supply Res. Technol.-Aqua, 50, pp. 313-324
- 19. Cheng, Z.Q., Van Geen, A., Jing, C.Y., Meng, X.G., Seddique, A., Ahmed, K.M., Performance of a household-level arsenic removal system during 4-month deployments in Bangladesh (2004) Environ. Sci. Technol., 38, pp. 3442-3448
- 20. Roberts, L.C., Hug, S.J., Ruettimann, T., Billah, M., Khan, A.W., Rahman, M.T., Arsenic removal with iron(II) and iron(III) waters with high silicate and phosphate concentrations (2004) Environ. Sci. Technol., 38, pp. 307-315
- 21. Hug, S.J., Leupin, O., Iron-catalyzed oxidation of arsenic(III) by oxygen and by hydrogen peroxide: PH-dependent formation of oxidants in the Fenton reaction (2003) Environ. Sci. Technol., 37, pp. 2734-2742
- 22. Chiu, V.Q., Hering, J.G., Arsenic adsorption and oxidation at manganite surfaces. 1. Method for simultaneous determination of adsorbed and dissolved arsenic species (2000) Environ. Sci. Technol., 34, pp. 2029-2034
- 23. Tournassat, C., Charlet, L., Bosbach, D., Manceau, A., Arsenic-(III) oxidation by birnessite and precipitation of manganese(II) arsenate (2002) Environ. Sci. Technol., 36, pp. 493-500
- 24. Sun, X.H., Doner, H.E., Adsorption and oxidation of arsenite on goethite (1998) Soil Sci., 163, pp. 278-287

- 25. Meng, X.G., Bang, S., Korfiatis, G.P., Effects of silicate, sulfate, and carbonate on arsenic removal by ferric chloride (2000) Water Res., 34, pp. 1255-1261
- 26. Duong, H.A., Berg, M., Hoang, M.H., Pham, H.V., Gallard, H., Giger, W., Von Gunten, U., Trihalomethane formation by chlorination of ammonium- and bromide-containing ground-water in water supplies of Hanoi, Vietnam (2003) Water Res., 37, pp. 3242-3252
- 27. Luzi, S., Berg, M., Pham, T.K.T., Pham, H.V., Schertenleib, R., (2004) Household Sand Filters for Arsenic Removal, , Technical Report
- 28. Swiss Federal Institute of Aquatic Science and Technology (Eawag): Dubendorf, Switzerland
- 29. Rahman, L., Corns, W.T., Bryce, D.W., Stockwell, P.B., Determination of mercury, selenium, bismuth, arsenic and antimony in human hair by microwave digestion atomic fluorescence spectrometry (2000) Talanta, 52, pp. 833-843
- 30. Norra, S., Berner, Z.A., Agarwala, P., Wagner, F., Chandrasekharam, D., Stuben, D., Impact of irrigation with As rich groundwater on soil and crops: A geochemical case study in West Bengal Delta Plain, India (2005) Appl. Geochem., 20, pp. 1890-1906
- 31. Salmassi, T.M., Walker, J.J., Newman, D.K., Leadbetter, J.R., Pace, N.R., Hering, J.G., Community and cultivation analysis of arsenite oxidizing biofilms at Hot Creek (2006) Environ. Microbiol., 8, pp. 50-59
- 32. Buschmann, J., Canonica, S., Lindauer, U., Hug, S.J., Sigg, L., Photoirradiation of dissolved humic acid induces arsenic (III) oxidation (2005) Environ. Sci. Technol., 39, pp. 9541-9546
- 33. Das, D., Chatterjee, A., Mandal, B.K., Samanta, G., Chakraborti, D., Chanda, B., Arsenic in ground water in 6 districts of West-Bengal, India The biggest arsenic calamity in the World. 2. Arsenic concentration in drinking-water, hair, nails, urine, skin-scale and liver-tissue (biopsy) of the affected people (1995) Analyst, 120, pp. 917-924
- 34. Agusa, T., Kunito, T., Fujihara, J., Kubota, R., Minh, T.B., Trang, P.T.K., Iwata, H., Tanabe, S., Contamination by arsenic and other trace elements in tube-well water and its risk assessment to humans in Hanoi, Vietnam (2006) Environ. Pollut., 139, pp. 95-106
- 35. (2001) Arsenic Contamination of Groundwater in Bangladesh, , Kinniburgh, D. G., Smedley, P. L., Eds.
- 36. British Geological Survey: Keyworth, U.K.

Download Full Text: 0646.pdf