

Parallel dimensionality reduction transformation for time-series data

Thanh H.C.

Department of Informatics, Hanoi University of Science, VNUH 334 - Nguyen Trai Rd., Hanoi, Viet Nam

Abstract: The subsequence matching in large timeseries databases has been being an interesting problem. Many methods have been proposed that cope with this problem in an adequate extend. One of good ideas is reducing properly the dimensionality of time-series data. In this paper, we propose a method to reduce the dimensionality of high-dimensional timeseries data. The method is simpler than existing ones based on the discrete Fourier transform and the discrete cosine transform. Furthermore, our dimensionality reduction may be executed in parallel. It preserves planar geometric blocks and may be applied to minimum bounding rectangles as well. ?? 2009 IEEE.

Author Keywords: Dimensionality reduction; Matching problem; Minimum bounding rectangle; Time-series data

Index Keywords: Dimensionality reduction; High-dimensional; Matching problem; Minimum bounding rectangle; Subsequence matching; Time-series data; Cosine transforms; Data reduction; Discrete cosine transforms; Discrete Fourier transforms; Geometry; Database systems

Year: 2009

Source title: Proceedings - 2009 1st Asian Conference on Intelligent Information and Database Systems, ACIIDS 2009

Art. No.: 5175976

Page : 104-108

Cited by: 1

Link: [Scopus Link](#)

Correspondence Address: Thanh, H. C.; Department of Informatics, Hanoi University of Science, VNUH 334 - Nguyen Trai Rd., Hanoi, Viet Nam; email: thanhhc@vnu.vn

Conference name: 2009 1st Asian Conference on Intelligent Information and Database Systems, ACIIDS 2009

Conference date: 1 April 2009 through 3 April 2009

Conference location: Dong Hoi

Conference code: 78395

ISBN: 9.78E+12

DOI: 10.1109/ACIIDS.2009.48

Language of Original Document: English

Abbreviated Source Title: Proceedings - 2009 1st Asian Conference on Intelligent Information and Database Systems, ACIIDS 2009

Document Type: Conference Paper

Source: Scopus

Authors with affiliations:

1. Thanh, H.C., Department of Informatics, Hanoi University of Science, VNUH 334 - Nguyen Trai Rd., Hanoi, Viet Nam

References:

1. Agrawal, R., Faloutsos, C., Swami, A., Efficient similarity search in sequence databases (1993) Proceedings of the 4th Int'l Conference on Foundations of Data Organization and Algorithms, pp. 69-84. , USA
2. Faloutsos, C., Ranganathan, M., Manolopoulos, Y., Fast subsequence matching in timeseries databases Proceedings of the Int'l Conference on Management of Data, ACM SIGMOD - 2001, pp. 419-429
3. Keogh, E., Chakrabarti, K., Mehrotra, S., Pazzani, M., Locally adaptive dimensionality reduction for indexing large time-series databases Proceedings of the Int'l Conference on Management of Data, ACM SIGMOD - 2001, pp. 151-162
4. Keogh, E., Chakrabarti, K., Pazzani, M., Mehrotra, S., Dimensionality reduction for fast similarity search in large time-series database (2000) Journal of Knowledge and Information Systems, 3 (3), pp. 263-286
5. Moon, Y.S., Whang, K.Y., Han, W.S., General match: A subsequence matching method in time-series databases based on generalized windows Proceedings of the Int'l Conference on Management of Data, ACM SIGMOD - 2002, pp. 382-393
6. Moon, Y.S., An MBR-safe transformation for high-dimensional MBRs in similar sequence matching (2007) Proceedings of the Int'l Conference on Database Systems for Advanced Applications, , Thailand
7. Moon, Y.S., Kim, J., A theoretical study on MBR-safe transformations (2007) Proceedings of the 12th International Conference on Knowledge-Based and Intelligent Information &
8. Engineering Systems, , Italy
9. Thanh, H.C., Transforming sequential processes of a net system into concurrent ones (2007) International Journal of Knowledge-based and Intelligent Engineering Systems, 11 (6), pp. 391-397. , IOS Press, Amsterdam