

Formation of plasma-polymerized top layers on composite membranes: Influence on separation efficiency

Tran D.T., Mori S., Tsuboi D., Suzuki M.

Department of Chemical Technology, Hanoi University of Science, VNU, 334 Nguyen Trai, Thanh Xuan, HaNoi, Viet Nam; Department of Chemical Engineering, Tokyo Institute of Technology, 2-12-1 O-okayama, Meguro-ku, Tokyo 152-8552, Japan

Abstract: Plasma-polymerized reverse osmosis membranes were prepared by deposition of an allylamine plasma-polymerized top layer onto a cellulose ester surface. Their separation performance was highly dependent on the formation of the top layer, which was itself determined by the plasma polymerization conditions. The density and the thickness of the plasma-deposited polymer top layer influence the membrane flux, while the ability of the membrane to reject salt relies on the degree of polymer cross-linking, which is in turn related to the transfer of plasma energy into monomer molecules during plasma polymerization. The separation efficiency of the multilayer reverse osmosis composite membrane can be optimized by choosing appropriate plasma conditions. A graph is presented. ?? 2009 Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.

Author Keywords: Composite membranes; Cross -linking degree; Deposition; Multilayers; Plasma polymerization; Separation efficiency

Index Keywords: Allyl amine; Cellulose esters; Cross -linking degree; Monomer molecules; Plasma polymerization; Plasma conditions; Plasma energy; Polymerization conditions; Reverse osmosis composite membrane; Separation efficiency; Separation performance; Composite membranes; Esters; Multilayers; Plasma deposition; Plasma polymerization; Plasmas; Polymers; Reverse osmosis; Osmosis membranes

Year: 2009

Source title: Plasma Processes and Polymers

Volume: 6

Issue: 2

Page : 110-118

Cited by: 2

Link: [Scopus Link](#)

Correspondence Address: Tran, D.T.; Department of Chemical Technology, Hanoi University of Science, VNU, 334 Nguyen Trai, Thanh Xuan, HaNoi, Viet Nam; email: ttdung@vnu.edu.vn

ISSN: 16128850

DOI: 10.1002/ppap.200800093

Language of Original Document: English

Abbreviated Source Title: Plasma Processes and Polymers

Document Type: Article

Source: Scopus

Authors with affiliations:

1. Tran, D.T., Department of Chemical Technology, Hanoi University of Science, VNU, 334 Nguyen Trai, Thanh Xuan, HaNoi, Viet Nam, Department of Chemical Engineering, Tokyo Institute of Technology, 2-12-1 O-okayama, Meguro-ku, Tokyo 152-8552, Japan
2. Mori, S., Department of Chemical Engineering, Tokyo Institute of Technology, 2-12-1 O-okayama, Meguro-ku, Tokyo 152-8552, Japan
3. Tsuboi, D., Department of Chemical Engineering, Tokyo Institute of Technology, 2-12-1 O-okayama, Meguro-ku, Tokyo 152-8552, Japan
4. Suzuki, M., Department of Chemical Engineering, Tokyo Institute of Technology, 2-12-1 O-okayama, Meguro-ku, Tokyo 152-8552, Japan

References:

1. Yasuda, H., (1985) Plasma Polymerization, , Academic Press, Orlando
2. Biederman, H., Osada, Y., (1992) Plasma Polymerization Processes, , Elsevier, Amsterdam
3. Inagaki, N., (1996) Plasma Surface Modification and Plasma Polymerization, , Technomic, Lancaster
4. Boenig, H.V., (1988) Fundamentals of Plasma Chemistry and Technology, , Technomic, Lancaster
5. Plasma Processes and Polymers, R. d'Agostino, P. Favia, C. Oehr, M. R. Wertheimer, Eds., Wiley-VCH, Weinheim 2005
6. Yasuda, H., (1984) J. Membr. Sci, 18, p. 273
7. Sciaratta, V., Vohrer, U., Hegemann, D., Muller, M., Oehr, C., (2003) Surf. Coat. Technol, 174, p. 805
8. E. R. Fisher, Plasma Process. Polym. 2004, 1, 13
9. J. Friedrich, G. Kuhn, R. Mix, W. Unger, Plasma Process. Polym. 2004, 1, 28
10. Choukurov, A., Biederman, H., Kholodkov, I., Slavinska, D., Trchova, M., Hollander, A., (2004) J. Appl. Polym. Sci, 92, p. 979
11. Bryjak, M., Pozniak, G., Gancarz, I., Tylus, W., (2004) Desalination, 163, p. 231
12. Tran, T.D., Mori, S., Suzuki, M., (2007) Thin Solid Films, 515, p. 4148
13. Kramer, P.W., Yeh, Y.-S., Yasuda, H., (1989) J. Membr. Sci, 46, p. 1
14. Miao, S.-G., Wang, B.-G., (2005) Language, 19, p. 297
15. Kong, Y., Lin, X., Wu, Y., Chen, J., Xu, J., (1992) J. Appl. Polym. Sci, 46, p. 191
16. Hirai, M., Tajima, I., Yamamoto, M., (1987) Proc. ACS Div. Polym. Mater, 56, p. 802
17. Li, C.-L., Tu, C.-Y., Inagaki, N., Lee, K.-R., Lai, J.-Y., (2006) J. Appl. Polym. Sci, 102, p. 909
18. Weichart, J., (1993) Surf. Coat. Technol, 59, p. 342
19. Sakata, J., Yamamoto, M., Hirai, M., (1988) Language, 45, p. 499
20. Masuoka, T., Iwatsubo, T., Mizoguchi, K., (1992) J. Membr. Sci, 69, p. 109
21. Sakata, J., Yamamoto, M., Tajima, I., (1988) J. Polym. Sci., Part A: Polym. Chem, 26, p. 1721
22. Sohn, W.-I., Ryu, D.-H., Oh, S.-J., Koo, J.-K., (2000) J. Membr. Sci, 175, p. 163
23. Tran, D.T., Mori, S., Suzuki, M., (2008) Thin Solid Films, 516, p. 4384
24. Gutman, R.G., (1987) Membrane Filtration, , Adam Hilger, Bristol
25. Kai, T., Goto, H., Shimizu, Y., Yamaguchi, T., Nakao, S.-I., Kimura, S., (2005) J. Membr. Sci, 265, p. 101
26. Zhao, Z.-P., Li, J., Zhang, D.-X., C.-X. Chen (2004) J. Membr. Sci, 232, p. 1
27. Zhao, Z.-P., Li, J., Zhang, D.-X., Chen, C.-X., (2005) J. Membr. Sci, 251, p. 239
28. Zhao, Z.-P., Li, J., Zhang, D.-X., Chen, C.-X., (2007) Surf. Coat. Technol, 201, p. 6789
29. Lin, X., Chen, J., Xu, J., (1994) J. Membr. Sci, 90, p. 81
30. Chapman, C.L., Bhattacharyya, P., Eberhart, R.C., Timmons, R.B., Chuong, C.-J., (1994) J. Membr. Sci, 318, p. 137

28. Kim, H.I., Kim, S.S., (2006) J. Membr. Sci, 286, p. 193
29. Baker, R.W., (2004) Membrane Technology and Applications, , John Wiley & Sons Ltd, Chichester
30. H. K. Yasuda, Plasma Process. Polym. 2005, 2, 293